

PRODUCT CATALOGUE



永明(集團)酒店設備有限公司

WING MING ENGINEERING CO., LTD.



Gas Cooking Equipment Series



Chinese Cooking Range 中式炒爐

MODEL: CRG2H2P-1

Style	Burner	Standard Model	Rear Pot	Rear burner	Blower	Dimension(mm):		
						L	D	H
Guangdong Style	Single head	CRG1H	1	/	E1 X 1	1200	1250	(810+430)
Guangdong Style	Double head	CRG2H2P-1	2	/	E4 X 1	2200	1250	(810+430)
Guangdong Style	Double head	CRG2H2P-2	2	/	E1 X 2	2200	1250	(810+430)
Guangdong Style	Double head	CRG2H1P-1	1	/	E4 X 1	2000	1200	(810+430)
Guangdong Style	Double head	CRG2H1P-2	1	/	E1 X 2	2000	1200	(810+430)
Shanghai Style	Single head	CRS1H1P1S-1	1	1	E4 X 1	1400	1250	(810+430)
Shanghai Style	Double head	CRS2H1P2S-2	1	2	E1 X 2	2400	1250	(810+430)
Chiu Chow Style	Double head	CRC2H1P2S-2	1	2	E1 X 2	2500	1250	(810+430)
Mini Style	Single head	CRM1H	/	/	Mini X 1	760	900	(810+430)
Mini Style	Double head	CRM2H	/	/	Mini X 2	1500	900	(810+430)
Large Style	Single head	CR1H	/	/	E4 X 1	1200	1250	(810+430)
Large Style	Double head	CR2H	/	/	E1 X 2	2200	1250	(810+430)

* Custom Made Size Are Available*

Steam Cabinet 中式蒸柜



Type	Door	Standard Model	Dimension(mm):		
			L	D	H
Environmental Type	Single Door	SCE1D	850	900	1800
Environmental Type	Double Door	SCE2D	900	900	1800
Environmental Type	Triple Door	SCE3D	900	900	1950

* Custom Made Size Are Available*

MODEL: SCE3D

Open Burner 平頭爐

Burner	Safety Valve	Buener type	Standard Model	Dimension(mm):		
				L	D	H
4 heads	N	6" dia	4OB6	900	760	810+150
4 heads	Y	6" dis	4OB6-SV	900	760	810+150
4 heads	N	7" dia	4OB7	900	900	810+150
4 heads	Y	7" dia	4OB7-SV	900	900	810+150
6 heads	N	6" dia	6OB6	900	760	810+150
6 heads	Y	6" dis	6OB6-SV	900	760	810+150
6 heads	N	7" dia	6OB7	1200	900	810+150
6 heads	Y	7" dia	6OB7-SV	1200	900	810+150

* Optional Accessories: Undershef, Cabinet Base

* Custom Made Size Are Available*



MODEL: 4OB6-SV
with optional undershef

Duck Oven 中式烤鴨爐



Standard Model	Safety Valve	Dimension(mm):	
		Dia.	H
DR800	Y	800	1520
DR900	Y	900	1520
DR1000	Y	1000	1600

* Custom Made Size Are Available*



MODEL: DR900

Stock Pot Stove 湯爐




MODEL: SPS2H8-SV

MODEL: SPS1H8-SV

Burner	Safety Valve	Buener type	Standard Model	Dimension(mm):		
				L	D	H
Single head	N	8" dia	SPS1H8	550	650	500+150
Single head	Y	8" dia	SPS1H8-SV	550	650	500+150
Single head	N	11" dia	SPS1H11	550	650	500+150
Single head	Y	11" dia	SPS1H11-SV	550	650	500+150
Single head	N	14" dia	SPS1H14	600	760	500+150
Single head	Y	14" dia	SPS1H14-SV	600	760	500+150
Twin head	N	8" dia	SPS2H8	1100	650	500+150
Twin head	Y	8" dia	SPS2H8-SV	1100	650	500+150
Twinhead	N	11" dia	SPS2H11	1100	650	500+150
Twinhead	Y	11" dia	SPS2H11-SV	1100	650	500+150
Twinhead	N	14" dia	SPS2H14	1200	760	500+150
Twinhead	Y	14" dia	SPS2H14-SV	1200	760	500+150

* Custom Made Size Are Available*



V e n t i l a t i o n S e r i e s

Grease Filter Type Exhaust Hood 油網煙罩

Standard Model:	Hood Lamp	Dimension(mm):		
		L	D	H
GF	N	*	*	560
GFL	Y	*	*	560

* Custom Made Size Are Available*

Water Washed Type Exhaust Hood 運水煙罩

Standard Model:	Hood Lamp	Dimension(mm):		
		L	D	H
WWT	N	*	*	660
WWTL	Y	*	*	660

* Custom Made Size Are Available*



Exhaust Hood Control Panel 運水煙罩控制箱

Type	Standard Model:	Pump(s)	Dimension(mm):			For Hood Size:
			L	D	H	
Floor type	EHC1P-WS	1	520	520	1660	≦ 7M
Floor type	EHC1P	1	600	600	1800	≦ 7M
Floor type	EHC2P	2	600	600	1800	≦ 12M
Worktop Type	EHC1P-WT	1	600	700	810	≦ 7M
Worktop Type	EHC2P-WT	2	1100	700	810	≦ 12M
Wall Mounted Type	EHC1P-WM	1	520	520	550	≦ 7M

MODEL: EHC1P

Stainless Steel Equipment Series

Standard Model	Door	No. of Shelf	Dimension(mm):		
			L	D	H
UC5656H	Hinged Door	2	560	560	1800
UC5661H	Hinged Door	2	560	610	1800
UC11950H	Sliding Door	2	1190	500	1800
UC11961H	Sliding Door	2	1190	610	1800
UC11950S	Sliding Door	2	1190	500	1800
UC11961S	Sliding Door	2	1190	610	1800

Upright Cabinet 高身儲物櫃



MODEL: UC11950S

* Optional Accessories: Additional Shelf, Door with Hole
* Custom Made Size Are Available*

Wall Mounted Cabinet 吊櫃

Standard Model:	Door	No. of Shelf	Dimension(mm):		
			L	D	H
WMC903561	Hinged/Sliding Door	1	900	350	610
WMC904561	Hinged/Sliding Door	1	900	450	610
WMC123561	Hinged/Sliding Door	1	1200	350	610
WMC124561	Hinged/Sliding Door	1	1200	450	610
WMC153561	Hinged/Sliding Door	1	1500	350	610
WMC154561	Hinged/Sliding Door	1	1500	450	610
WMC183561	Hinged/Sliding Door	1	1800	350	610
WMC184561	Hinged/Sliding Door	1	1800	450	610
WMC203561	Hinged/Sliding Door	1	2000	350	610
WMC204561	Hinged/Sliding Door	1	2000	450	610
WMC903561	Hinged/Sliding Door	1	900	350	710
WMC904561	Hinged/Sliding Door	1	900	450	710
WMC123561	Hinged/Sliding Door	1	1200	350	710
WMC124561	Hinged/Sliding Door	1	1200	450	710
WMC153561	Hinged/Sliding Door	1	1500	350	710
WMC154561	Hinged/Sliding Door	1	1500	450	710
WMC183561	Hinged/Sliding Door	1	1800	350	710
WMC184561	Hinged/Sliding Door	1	1800	450	710
WMC203561	Hinged/Sliding Door	1	2000	350	710
WMC204561	Hinged/Sliding Door	1	2000	450	710

* Optional Glass Door & Front & Back Door *
* Custom Made Size Are Available



MODEL: WMC903561
with optional glass door

MODEL: WMC123561

Work Top Table 工作檯



MODEL: WT1261 with
optional drawer & under shelf

Work Top Cabinet 工作檯櫃



MODEL: WC1160

Standard Model:	Door	No. of Shelf	Dimension(mm):		
			L	D	H
WC1160	Hinged/Sliding Door	1	1100	610	810/850
WC1561	Hinged/Sliding Door	1	1500	610	810/850
WC1861	Hinged/Sliding Door	1	1800	610	810/850
WC2061	Hinged/Sliding Door	1	2000	610	810/850
WC1175	Hinged/Sliding Door	1	1100	750	810/850
WC1575	Hinged/Sliding Door	1	1500	750	810/850
WC1875	Hinged/Sliding Door	1	1800	750	810/850
WC2075	Hinged/Sliding Door	1	2000	750	810/850

* Optional Accessories: Heating Element, Drawer, Choptop and Front & Back Door
* Custom Made Size and Front & Back Door Are Available*

Standard Model:	Dimension(mm):		
	L	D	H
WT9061	900	610	810/850
WT9075	900	750	810/850
WT9086	900	860	810/850
WT90105	900	1050	810/850
WT1261	1200	610	810/850
WT1275	1200	750	810/850
WT1286	1200	860	810/850
WT12105	1200	1050	810/850
WT1561	1500	610	810/850
WT1575	1500	750	810/850
WT1586	1500	860	810/850
WT15105	1500	1050	810/850
WT1861	1800	610	810/850
WT1875	1800	750	810/850
WT1886	1800	860	810/850
WT18105	1800	1050	810/850
WT2061	2000	610	810/850
WT2075	2000	750	810/850
WT2086	2000	860	810/850
WT20105	2000	1050	810/850

* Optional Accessories: Undershelf, Drawer and choptop*
* Custom Made Size Are Available*

S i n k S e r i e s

Sink Cabinet 星檯櫃



Sink Table 星檯



Sink Table & Cabinet

Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet
Single Sink Table / Cabinet

Standard Model:

SST6161/ SSC6161
SST6565/ SSC6565
SST9061/ SSC9061
SST9065/ SSC9065
SST1161/ SSC1161
SST1165/ SSC1165
SST1561/ SSC1561
SST1565/ SSC1565
SST1861/ SSC1861
SST1865/ SSC1865

Dimension(mm):

L	D	H
610	610	810/850
650	650	810/850
900	610	810/850
900	650	810/850
1100	610	810/850
1100	650	810/850
1500	610	810/850
1500	650	810/850
1800	610	810/850
1800	650	810/850

Standard Sink Bowl Size:

(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm

Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet
Twin Sink Table / Cabinet

TST1261/ TSC1261
TST1265/ TSC1265
TST1275/ TSC1275
TST1561/ TSC1561
TST1565/ TSC1565
TST1575/ TSC1575
TST1861/ TSC1861
TST1865/ TSC1865
TST1875/ TSC1875

L	D	H
1200	610	810/850
1200	650	810/850
1200	750	810/850
1500	610	810/850
1500	650	810/850
1500	750	810/850
1800	610	810/850
1800	650	810/850
1800	750	810/850

(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(500 X 500 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(500 X 500 X280(H))mm
(460 X 460 X280(H))mm
(460 X 460 X280(H))mm
(500 X 500 X280(H))mm

Triple Sink Table / Cabinet
Triple Sink Table / Cabinet
Triple Sink Table / Cabinet
Triple Sink Table / Cabinet
Triple Sink Table / Cabinet


3ST16561/ 3SC16561
3ST17565/ 3SC17565
3ST17575/ 3SC17575
3ST20565/ 3SC20565
3ST20575/ 3SC20575

L	D	H
1650	610	810/850
1750	650	810/850
1750	750	810/850
2050	650	810/850
2050	750	810/850

(460 X 460 X280(H))mm
(500 X 500 X280(H))mm
(500 X 500 X280(H))mm
(600 X 500 X 280(H))mm
(600 X 500 X 350(H))mm

* Optional Accessories: Corner Sink, Overflow, Faucet and Undershelf*

* Custom Made Size Are Available*



Grease Trap 隔油池



* Safety Lock*



* Rubber Gasket*



Dimension(mm):

Standard Model:

GT3835
GT5035
GT5535

L	D	H
380	350	320
500	350	320
550	350	320

Pipe Inlet Dia.

40/50mm
40/50mm
40/50mm

Pipe Outlet Dia.

50mm
50mm
50mm

Refrigeration Series

Upright Chiller / Freezer 高身冷凍櫃



Model: D4H

Worktop Chiller / Freezer 平臺冷凍櫃



Model with optional glass door



	Standard Model:	Temp.	Door	No. of Shelf (PVC Coating)	Standard Model:	Dimension(mm):		
						L	D	H
Upright Chiller	D2H	+2~+4°C	2 half door	3	D2H	730	830	2050
Upright Chiller	D4H	+2~+4°C	4 half door	6	D4H	1400	830	2050
Upright Chiller	DF1H	+2~+4°C	1 full height door	3	DF1H	730	830	2050
Upright Chiller	DF2H	+2~+4°C	2 full height door	6	DF2H	1400	830	2050
Upright Freezer	D2L	-18°C	2 half door	3	D2L	730	830	2050
Upright Freezer	D4L	-18°C	4 half door	6	D4L	1400	830	2050
Upright Freezer	DF1L	-18°C	1 full height door	3	DF1L	730	830	2050
Upright Freezer	DF2L	-18°C	2 full height door	6	DF2L	1400	830	2050
Worktop Chiller	C1-1-H0	+2~+4°C	1	1	C1-1-H0	1000	660	850
Worktop Chiller	C1-2-H0	+2~+4°C	2	2	C1-2-H0	1500	660	850
Worktop Chiller	C1-3-H0	+2~+4°C	3	3	C1-3-H0	1900	660	850
Worktop Chiller	C2-1-H0	+2~+4°C	1	1	C2-1-H0	1200	760	850
Worktop Chiller	C2-2-H0	+2~+4°C	2	2	C2-2-H0	1840	760	850
Worktop Chiller	C2-3-H0	+2~+4°C	3	3	C2-3-H0	2500	760	850
Worktop Freezer	C1-1-M0	-10~+2°C	1	1	C1-1-M0	1000	660	850
Worktop Freezer	C1-2-M0	-10~+2°C	2	2	C1-2-M0	1500	660	850
Worktop Freezer	C1-3-M0	-10~+2°C	3	3	C1-3-M0	1900	660	850
Worktop Freezer	C2-1-M0	-10~+2°C	1	1	C2-1-M0	1200	760	850
Worktop Freezer	C2-2-M0	-10~+2°C	2	2	C2-2-M0	1840	760	850
Worktop Freezer	C2-3-M0	-10~+2°C	3	3	C2-3-M0	2500	760	850

* Suit for Shelf or GN Pan*

* Optional Accessories: Sandwich Style, Drawer, GN Pan, Glass Door and S/S Shelf*

* Custom Made Size Are Available*



ISO 9001:2000 质量体系认证



winterhalter



HONG KONG OFFICE

香港新界沙田火炭坳背灣街26-28號
富騰工業中心1字樓105室
Rm. 105, 1/F FO TAN IND. BLDG.,
26-28 AU PUI WAN ST., FO TAN, SHATIN, N.T., HK.

電話 TEL: (852) 2606 6067
傳真 FAX: (852) 2694 9694
電郵 E-mail: info@wingmingeng.com.hk
網址 website: www.wingminghk.cn

CHINA FACTORY

廣州市永民廚房設備有限公司
廣州市越秀區環市東路339號廣東國際大廈A附樓27A
電話: 86-20-8735 8383 / 86-20-8332 4854
傳真: 86-20-8332 7644
電郵: gzwmgeng@263.net

廣州市永民廚房設備有限公司上海分公司
上海市天目西路218號嘉里不夜城2座3404室
郵編: 200070
電話: 86-021-6317 9987
傳真: 86-021-6317 9927
電郵: shwmeng@263.net

廣州市永民廚房設備有限公司北京辦事處
中國北京朝陽區小關東裏10號院9號樓506室
郵編: 100023
電話: 86-10-8768 9577
傳真: 86-10-5860 7811
電郵: chenwo168@hotmail.com

東莞市永民廚房設備有限公司
東莞市橫瀝鎮三江工業區78號
電話: 86-769-8101 1383
傳真: 86-769-8101 1382
電郵: wingming8@21cn.com

